NOMAPACK® U







NOMAPACK® U are effective edge protection profiles for each type of corner or curve. They are available in different dimensions and densities in order to protect your products efficiently. We can also develop profiles according to customer's specifications.

- Edge protection from 2 to 160 mm
- Easy fitting « Multishape » version
- Patented design


Product features:

- PE-LD foam
- \blacksquare Density from 25 kg/m³ to 65 kg/m³
- Supplied as lengths or coils
- Water absorption < 1 vol.% after 40 days
- Recyclable
- The tolerance of the length of the coils is up to a maximum of 2%

- Tables and worktops
- Shelves, storage units and other furniture parts
- Mirrors, glass plates, ceramic
- Works of art, framed pictures, etc.

NOMAPACK® U Tulip







| COLOUR | Standard blue |
|-----------------|--|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes or on coils |
| BOXES ON PALLET | 4 |
| COILS ON PALLET | 4 |
| FEATURES | ■ Protected design■ The « original », recognized and reliable profile |

| Туре | А | В | С | D | Packaging unit | Item Code |
|---------|--------|-------|--------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 5–15 | 16 ±2 | 7 ±1 | 3 ±3 | 29 ±2 | 560 | 3002243 |
| 15-25 | 24 ±2 | 8 ±1 | 10 ±3 | 35 ±3 | 320 | 3002250 |
| 25–35 | 35 ±2 | 10 ±1 | 20 ±4 | 40 ±3 | 240 | 3002257 |
| 35–45 | 41 ±2 | 12 ±2 | 25 ±5 | 46 ±3 | 180 | 3002261 |
| 45–60 | 57 ±2 | 14 ±2 | 30 ±5 | 60 ±2 | 100 | 3002267 |
| 60–80 | 71 ±2 | 15 ±2 | 45 ±5 | 66 ±2 | 80 | 3002279 |
| 80–100 | 92 ±3 | 18 ±2 | 60 ±10 | 68 ±3 | 72 | 3002288 |
| 100–120 | 120 ±4 | 21 ±2 | 98 ±10 | 80 ±3 | 44 | 3002289 |



 $m^3/ = 0,50$ = 2040 * 590 * 390 mm




 $m^3/Coil$ = 0,70 Coil = 1200 * 460 mm

| 5–15 | 16 ±2 | 7 ±1 | 3 ±3 | 29 ±2 | 500* | 3002241 |
|-------|-------|------|-------|-------|-------|---------|
| 15–25 | 24 ±2 | 8 ±1 | 10 ±3 | 35 ±3 | 220** | 3002248 |

NOMAPACK® U

NOMAPACK® U Tulip Stretch







| COLOUR | Standard blue |
|-----------------|--|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Protected design The « original », recognized and reliable profile With a patented system to reach a width of 160 mm |




 $m^3/$ = 0,50 = 2040 * 590 * 390 mm

| Туре | А | В | С | D | Packaging unit | Item Code |
|---------|---------|-------|---------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 100-120 | 120-160 | 21 ±2 | 100-140 | 80 ±3 | 44 | 3002290 |

NOMAPACK® U Multishape







| COLOUR | Standard blue |
|-----------------|---|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | High flexibility due to the V-cut Adaptable to all type of radius and angles Supplied as endless coil for pieces cut to your own requirements |






| Туре | A | В | С | D | Packaging unit | Item Code |
|----------|-------|-------|-------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 5-15 MS* | 16 ±2 | 7 ±1 | 3 ±3 | 29 ±2 | 480 | 3002242 |
| 15-25 MS | 24 ±2 | 8 ±1 | 10 ±3 | 35 ±3 | 250 | 3002249 |
| 25-35 MS | 35 ±2 | 10 ±1 | 20 ±4 | 40 ±3 | 150 | 3002255 |
| 35-45 MS | 41 ±2 | 12 ±2 | 25 ±5 | 46 ±3 | 140 | 3002260 |

^{*} $E = 150 \pm 10 \text{ mm} \text{ for U } 5-15$

 $E = 170 \pm 10$ mm for the other U Multishape profiles

NOMAPACK® U Tulip Corner








| COLOUR | Standard blue |
|-----------------|---|
| PACKAGING | Pieces in boxes |
| BOXES ON PALLET | 8 to NOMAPACK® U Tulip Corner 35-45 3 from NOMAPACK® U Tulip Corner 45-60 |
| FEATURES | Corners optimally protected Easy to fix Available in various cushioning thicknesses |

| Туре | A | В | С | E = F | Packaging unit | Item Code |
|-------|-------|-------|-------|---------|-------------------|-----------|
| | mm | mm | mm | mm | pces | |
| 5-15 | 16 ±2 | 7 ±1 | 3 ±3 | 100 ±10 | 900 | 3002163 |
| 15-25 | 24 ±2 | 8 ±1 | 10 ±3 | 100 ±10 | 600 | 3002166 |
| 25-35 | 35 ±2 | 10 ±1 | 20 ±4 | 100 ±10 | 450 | 3002168 |
| 35-45 | 41 ±2 | 12 ±2 | 25 ±5 | 100 ±10 | 300 | 3002170 |






| 45-60 | 57 ±2 | 14 ±2 | 30 ±5 | 100 ±10 | 500 | 3002173 |
|--------|-------|-------|--------|---------|-----|---------|
| 60-80 | 71 ±2 | 15 ±2 | 45 ±5 | 100 ±10 | 400 | 3002175 |
| 80-100 | 92 ±3 | 18 ±2 | 60 ±10 | 100 ±10 | 280 | 3002178 |

NOMAPACK® U Tulip Stretch Corner







| COLOUR | Standard blue |
|-----------------|---|
| PACKAGING | Pieces in boxes |
| BOXES ON PALLET | 3 |
| FEATURES | Corners optimally protected Easy to fix With a patented system to reach a width of 160 mm |




| Туре | А | В | С | E = F | Packaging unit | Item Code |
|-----------------|---------|-------|---------|---------|-------------------|-----------|
| | mm | mm | mm | mm | pces | |
| 100-120 Stretch | 120-160 | 21 ±2 | 100-140 | 200 ±10 | 120 | 3002179 |

NOMAPACK® U

NOMAPACK® U Tulip Long Legs







| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | ■ With longer legs to protect sharp-ended edges |




 $m^3/$ = 0,50 = 2040 * 590 * 390 mm

| Туре | А | В | С | D | Packaging unit | Item Code |
|----------|-------|-------|--------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 0-30/70 | 29 ±2 | 14 ±1 | 0 | 94 ±6 | 100 | 3002262 |
| 30-40/70 | 38 ±2 | 14 ±1 | 26 ±10 | 84 ±5 | 100 | 3002266 |

NOMAPACK® U Tulip 45-70







| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | ■ With longer legs to protect sharp-ended edges |




m³/ = 0,50 2040 * 590 * 390 mm

| Туре | А | В | С | D | Packaging unit | Item Code |
|-------|-------|-------|--------|--------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 45-70 | 70 ±2 | 18 ±2 | 30 ±10 | 131 ±5 | 44 | 3002278 |

NOMAPACK® U Classic







| COLOUR | Standard blue |
|-----------------|-------------------------|
| LENGTH | 2.000 mm ±30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | ■ The "classic" profile |



| Туре | А | В | С | D | Packaging unit | Item Code |
|-----------|-------|---------|--------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 10-20 | 17 ±2 | 10,5 ±1 | 5 ±3 | ± 30 | 420 | 3002246 |
| 20-35 | 31 ±2 | 12 ±1 | 12 ±4 | ± 45 | 210 | 3002259 |
| 30-45 | 41 ±2 | 15 ±1 | 20 ±5 | ± 48 | 160 | 3002275 |
| 45-65 | 60 ±2 | 15 ±1 | 30 ±8 | ± 57 | 92 | 3002277 |
| 60-85 | 80 ±3 | 15 ±1 | 40 ±10 | ± 58 | 90 | 3002281 |
| 30-45/51* | 40 ±2 | 15 ±1,5 | 15 ±5 | 51 ±2 | 130 | 3002276 |

^{*} Colour: yellow

NOMAPACK® U 0-3





| COLOUR | Grey |
|-----------------|--|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Special edge-protection for narrow products from 0 to 3 mm Prevents bends against sharp edges Supplied as endless coil for pieces cut to your own requirements |






| Туре | А | В | D | Packaging unit | Item Code |
|------|-------|-------|-------|----------------|-----------|
| | mm | mm | mm | m | |
| 0-3 | 20 ±2 | 11 ±1 | 32 ±2 | 590 | 3002253 |

NOMAPACK® U

NOMAPACK® U 0-6







| COLOUR | Grey |
|-----------------|--|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes or on coils |
| BOXES ON PALLET | 4 |
| COILS ON PALLET | 4 |
| FEATURES | Thanks to high cushioning thickness, this is the ideal protection packaging for narrow, sensitive products Ideal protection for sensitive goods |



 $m^3/$ = 0,50






 $m^3/Coil$ = 0,70 Coil = 1200 * 460 mm

| Туре | Α | В | С | D | Packaging unit | Item Code |
|--------|---------|---------|-------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 0-6/2m | 28,5 ±1 | 14,5 ±1 | 13 ±1 | 37 ±1 | 320 | 3002269 |

| 0-6 | 28,5 ±1 | 14,5 ±1 | 13 ±1 | 37 ±1 | 320 | 3002270 |
|-----|---------|---------|-------|-------|-----|---------|

NOMAPACK® U 6-12







| COLOUR | Standard blue |
|-----------------|--|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Protection packaging for products with a thickness from 6 to 12 mm Especially suitable for products with bead or seals Also available with an inside reinforcement in PE Supplied as endless coil for pieces cut to your own requirements |



 $m^3/Coil$ = 0,70 Coil = 1200 * 460 mm

| Туре | А | В | С | D | Packaging unit | Item Code |
|------------|-------|-------|-------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 6-12 | 33 ±2 | 15 ±1 | 12 ±1 | 40 ±2 | 240 | 3002271 |
| 6-12 E-P* | 33 ±2 | 15 ±1 | 12 ±1 | 40 ±2 | 240 | 3002272 |
| 6-12 CBC** | 33 ±2 | 15 ±1 | 12 ±1 | 40 ±2 | 240 | 3002273 |

^{*} E-P = Edge-Pad = V-Cut and perforations all 160 mm (\pm 1.500 pieces/coil)

^{**}CBC= with inside reinforcement (coextrusion)

NOMAPACK® U 8-12





| COLOUR | Standard blue |
|-----------------|--|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Small profile with longer legs Ideal packaging for "design" edges Supplied as endless coil for pieces cut to your own requirements |







| Туре | А | В | С | Packaging unit | Item Code |
|------|---------|------|------|----------------|-----------|
| | mm | mm | mm | m | |
| 8-12 | 11,5 ±1 | 7 ±1 | 0 +3 | 550 | 3002244 |

NOMAPACK® U 12-18









| COLOUR | Standard blue |
|-----------------|--|
| LENGTH | $2.000 \text{ mm} \pm 30 \text{ mm}$ |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Protection packaging for products with a thickness from 12 to 18 mm Sensitive edges optimally protected |




 $m^3/$ =0,50


2040 * 590 * 390 mm

| Туре | А | В | С | D | Packaging unit | Item Code |
|-------|-------|-------|-------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 12-18 | 45 ±2 | 20 ±1 | 21 ±2 | 56 ±2 | 140 | 3002283 |

NOMAPACK® U

NOMAPACK® U Extra Padding






| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | 2.000 mm ±30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Optimal cushioning protection for heavy goods Perfect to protect single or stacked goods |




| Туре | Α | В | С | D | Packaging unit | Item Code |
|----------|-------|---------|-------|-------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 15-25/80 | 20 ±1 | 30 ±2 | 7 ±5 | 83 ±3 | 90 | 3002294 |
| 30-38* | 32 ±2 | 19 ±1,5 | 20 ±6 | 60 ±2 | 140 | 3002287 |
| 30-45/55 | 41 ±3 | 25 ±2 | 22 ±5 | 73 ±6 | 80 | 3002293 |

^{*} Colour: grey

NOMAPACK® U HD







| COLOUR | Standard blue |
|-----------------|--|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | ■ Ideal for heavy objects requiring higher density |




m³/ = 0,50 = 2040 * 590 * 390 mm

| Туре | А | В | С | Packaging unit | Item Code |
|-------|-------|-------|-------|----------------|-----------|
| | mm | mm | mm | m | |
| 20-30 | 31 ±3 | 18 ±1 | 28 ±3 | 180 | 3002282 |
| 35-50 | 45 ±2 | 18 ±1 | 24 ±5 | 140 | 3002286 |

NOMAPACK® U FEP






| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | $2.000 \text{ mm} \pm 30 \text{ mm}$ |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | ■ Multiple applications thanks to its inside diameter |




 $m^3/$ = 0,50 = 2040 * 590 * 390 mm

| Туре | Α | В | С | Packaging unit | Item Code |
|------|-------|------|------|----------------|-----------|
| | mm | mm | mm | m | |
| FEP | 65 ±5 | 9 ±1 | 5 ±5 | 120 | 3002245 |

NOMAPACK® WS







NOMAPACK® WS is an innovative transport protection for windscreens and glass. An inner reinforcement of the profile prevents piercing due to sharp edges and protects the product efficiently. An extensive assortment of tool accessories is available to simplify the handling.


- Patented glass edge protection
- Unique, with inside reinforcement
- Efficient protection against scratches and breaks


Product features:

- PE-LD foam
- \blacksquare Density from 25 kg/m 3 to 65 kg/m 3
- Supplied as coils
- lacksquare Water absorption < 1 vol.% after 40 days
- Recyclable
- The tolerance of the length of the coils is up to a maximum of 2%

- Glass edges
- Windscreens
- Heavy and sharp goods

NOMAPACK® WS 33x26 BC / CBC







| COLOUR | Standard blue |
|-----------------|---|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Specially designed for thicknesses from 3 to 6 mm or for windscreens without rubber lips Good grip force by high lip tension Available with or without inside reinforcement Supplied as endless coil for pieces cut to your own requirements |







| Туре | А | В | С | D | Packaging unit | Item Code |
|------------|-------|-------|----|---------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 33x26 BC | 26 ±1 | 12 ±1 | 3 | 33 ±1 | 460 | 3002305 |
| 33x26 CBC* | 26 ±1 | 12 ±1 | 3 | 33,5 ±1 | 460 | 3002306 |

^{*} CBC = with inside reinforcement (coextrusion)

NOMAPACK® WS 33x26 CYC







| COLOUR | Yellow |
|-----------------|---|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Specially designed for thicknesses from 3 to 6 mm or for heavy windscreens without rubber lips Good grip force by high lip tension Supplied as endless coil for pieces cut to your own requirements |




 $m^3/Coil$ = 0,70 Coil = 1200 * 460 mm


| Туре | А | В | С | D | Packaging unit | Item Code |
|------------|-------|-------|-----|------|-------------------|-----------|
| | mm | mm | mm | mm | m | |
| 33x26 CYC* | 26 ±1 | 13 ±1 | 2,5 | 33±1 | 460 | 3002301 |

^{*} CYC = with inside reinforcement (coextrusion)

NOMAPACK® WS

NOMAPACK® WS 33x26 Edge Pad YC







| COLOUR | Yellow |
|-----------------|---|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Safe protection for glass, mirrors and sensitive metal goods Efficiently protects fragile goods during transport Supplied as endless coil for pieces cut to your own requirements |






| Туре | А | В | D | D F | | Item Code |
|------------|-------|-------|-------|--------|-----|-----------|
| | mm | mm | mm | mm | m | |
| 33x26 E-P* | 25 ±1 | 11 +1 | 33 ±1 | 160 ±7 | 460 | 3002300 |

^{*} E-P = Edge-Pad = V-Cut and perforations all 160 mm (\pm 2.875 pieces/coil)

NOMAPACK® WS 33x26 Edge Pad CYC







| COLOUR | Yellow |
|-----------------|--|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Effective protection for glass, mirrors and sensitive metal goods Pre-cut with patented inner reinforcement Supplied as endless coil for pieces cut to your own requirements |







| | Туре | А | В | С | D | G | Packaging unit | Item Code |
|----|----------------|-------|-------|-----|-------|---------|-------------------|-----------|
| | | mm | mm | mm | mm | mm | m | |
| 33 | x26 E-P* CYC** | 26 ±1 | 11 ±1 | 2,5 | 33 ±1 | 20 ±0,5 | 460 | 3002302 |

- * E-P = Edge-Pad = V-Cut and perforations all 160 mm (\pm 2.875 pieces/coil)
- ** CYC = with inside reinforcement (coextrusion)

NOMAPACK® WS Corner 70°








| COLOUR | Yellow |
|-----------------|---|
| PACKAGING | Pieces in boxes |
| BOXES ON PALLET | 8 |
| FEATURES | With inside reinforcement Easy to fix Other dimensions available on request |



| Туре | А | В | С | D | Packaging unit | Item Code |
|-------|-------|---------|-----|---------|-------------------|-----------|
| | mm | mm | mm | mm | pces | |
| 50x50 | 26 ±1 | 13 ±0.5 | 2,5 | 33 ±0.5 | 2.000 | 3008936 |

NOMAPACK® WS 35x26







| COLOUR | Standard blue |
|-----------------|--|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | "Universal" transport protection for windscreens with or without rubber lips Specially developed inner-shape that adapts itself to all types of windscreens Supplied as endless coil for pieces cut to your own requirements |



 $m^3/Coil$ = 0,70 Coil = 1200 * 460 mm


| туре | A | D | C | D | С | Г | unit | item Code |
|------------|-------|-------|----|-------|-------|-------|------|-----------|
| | mm | mm | mm | mm | mm | mm | m | |
| 35x26 BC | 26 ±1 | 12 ±1 | 3 | 35 ±2 | 12 +1 | 16 +1 | 350 | 3002310 |
| 35x26 CBC* | 26 ±1 | 12 ±1 | 3 | 35 ±2 | 12 +1 | 16 +1 | 350 | 3002311 |

^{*}CBC = with inside reinforcement (coextrusion)

NOMAPACK® WS

NOMAPACK® WS 45x26





| COLOUR | Standard blue |
|-----------------|--|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | For windscreens with or without rubber lips Adopts itself perfectly to most windscreens Supplied as endless coil for pieces cut to your own requirements |







| Туре | А | В | С | D | Е | G | Н | Packaging unit | Item Code |
|-----------|-------|-------|----|-------|-------|-------|-------|-------------------|-----------|
| | mm | mm | mm | mm | mm | mm | mm | m | |
| 45x26 CBC | 26 ±1 | 10 ±1 | 3 | 45 ±2 | 11 ±1 | 22 ±1 | 10 ±1 | 290 | 3003842 |

^{*}CBC = with inside reinforcement (coextrusion)

NOMAPACK® WS 40x30





| COLOUR | Dark blue |
|-----------------|--|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Ideal for windscreens with an inside rubber lipSupplied as endless coil for pieces cut to your own requirements |






| Туре | А | В | С | D | Е | G | Packaging unit | Item Code |
|------------|----------|-------|----|-------|-------|------|-------------------|-----------|
| | mm | mm | mm | mm | mm | mm | m | |
| 40x30 CBC* | 34 +1/-2 | 21 ±1 | 6 | 42 ±2 | 18 ±1 | 8 ±1 | 270 | 3002312 |

^{*}CBC = with inside reinforcement (coextrusion)

NOMAPACK® WS 60x30







| COLOUR | Standard blue |
|-----------------|---|
| PACKAGING | On coils |
| COILS ON PALLET | 4 |
| FEATURES | Ideal for windscreens with a seal in the outside part of the glass pane Supplied as endless coil for pieces cut to your own requirements |





| Туре | А | В | С | D | Е | Н | Packaging unit | Item Code |
|------------|-------|-------|-----|-------|-------|---------|-------------------|-----------|
| | mm | mm | mm | mm | mm | mm | m | |
| 60x30 CBC* | 31 ±2 | 10 ±1 | 5,6 | 61 ±3 | 16 ±1 | 13,5 ±1 | 200 | 3002314 |

^{*}CBC = with inside reinforcement (coextrusion)

NOMAPACK® L







 $\mathsf{NOMAPACK}^{\circledast}$ L profiles are available with or without adhesive. They supply protection for individual pieces or can work as protection of a whole pallet.

- Available in various lengths and thicknesses
- With or without adhesive


Product features:

- PE-LD foam
- Supplied as lengths
- Water absorption < 1 vol.% after 40 days
- Recyclable

- Corners and edges
- Narrow and scratch-sensitive goods
- Can be used in shrinking tunnels

NOMAPACK® L








| COLOUR | Standard blue | | | |
|-----------------|---------------------------------------|--|--|--|
| LENGTH | 2.000 mm ± 30 mm | | | |
| PACKAGING | Lengths in boxes | | | |
| BOXES ON PALLET | 4 | | | |
| FEATURES | ■ Quick and cost effective protection | | | |



| Туре | Α | В | С | Packaging unit | Item Code |
|----------|-------|-------|-------|----------------|-----------|
| | mm | mm | mm | m | |
| 50x50-6 | 50 ±2 | 50 ±2 | 6 ±1 | 480 | 3002207 |
| 75×75-10 | 75 ±3 | 75 ±3 | 10 ±1 | 210 | 3002210 |

NOMAPACK® L HMR adhesive







| COLOUR | Standard blue | | | | |
|-----------------|---|--|--|--|--|
| LENGTH | $2.000\mathrm{mm} \pm 30\mathrm{mm}$ | | | | |
| PACKAGING | Lengths in boxes | | | | |
| BOXES ON PALLET | 4 | | | | |
| FEATURES | Residue-free removable adhesive (white release) Multiple applications Easy to fix | | | | |




| Туре | А | В | С | Packaging unit | Item Code |
|--------------|-------|-------|-------|----------------|-----------|
| | mm | mm | mm | m | |
| 50x50-6 HMR | 50 ±2 | 50 ±2 | 6 ±1 | 480 | 3002208 |
| 75×75-10 HMR | 75 ±3 | 75 ±3 | 10 ±1 | 210 | 3002211 |

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® PAD







NOMAPACK® Pad, the little spacer with big effect, is available in different dimensions with permanent or residue-free removable adhesive. This is the ideal packaging spacer to separate or fix sensitive goods. The Pads are packed in preslit units, to allow you to separate the required lengths simply and cleanly.

Available with permanent or residue-free removable adhesive.


Product features:

- PE-LD foam
- Supplied as pieces
- Water absorption < 1 vol.% after 40 days
- Recyclable

- Cushion
- Spacer
- Fixing

NOMAPACK® Pad







| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | 1.150 mm ± 20 mm |
| PACKAGING | Pieces in boxes |
| BOXES ON PALLET | 3 |
| FEATURES | With permanent or removable adhesive Multiple applications Good compression set * first and last piece might be out of tolerance (1 piece = AxBxC) |

| Туре | А | В | С | Packaging unit | Packaging unit | Item Code |
|------------|--------|-------|--------|-------------------|-------------------|-----------|
| | mm | mm | mm | pces | m | |
| 50x10 HMR | 50 ±3 | 10 ±2 | 50 ±8* | 16100 | 805 | 3002213 |
| 50x20 HMR | 50 ±3 | 20 ±2 | 50 ±8* | 10350 | 518 | 3002215 |
| 50x50 HMR | 50 ±3 | 50 ±3 | 50 ±8 | 4025 | 201 | 3002232 |
| 65×25 HMR | 65 ±3 | 25 ±2 | 64 ±8 | 4950 | 317 | 3002219 |
| 100×25 HMR | 100 ±3 | 25 ±2 | 96 ±8 | 2160 | 207 | 3002220 |
| 100×50 HMR | 100 ±3 | 50 ±2 | 96 ±8 | 1176 | 113 | 3011417 |



HMR = removable adhesive (white Release)

| Туре | А | В | С | Packaging unit | Packaging unit | Item Code |
|------------|--------|-------|--------|-------------------|----------------|-----------|
| | mm | mm | mm | pces | m | |
| 50x10 HMP | 50 ±3 | 10 ±2 | 50 ±8* | 16100 | 805 | 3002214 |
| 50×20 HMP | 50 ±3 | 20 ±2 | 50 ±8* | 10350 | 518 | 3002216 |
| 50×50 HMP | 50 ±3 | 50 ±3 | 50 ±8 | 4025 | 201 | 3002235 |
| 65×25 HMP | 65 ±3 | 25 ±2 | 64 ±8 | 4950 | 317 | 3002223 |
| 100x25 HMP | 100 ±3 | 25 ±2 | 96 ±8 | 2160 | 207 | 3002224 |
| 100x50 HMP | 100 ±3 | 50 ±2 | 96 ±8 | 1176 | 113 | 3011418 |



HMP = permanent adhesive (transparent Release)


To ensure optimum adhesion, a uniform push down of NMC Pads on a dry and dust free surface is recommended. In addition, the manufacturer recommends a storage and treatment temperature between + 10 $^{\circ}$ C and + 40 $^{\circ}$ C.

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® GLASS PAD







NOMAPACK® Glass Pads keep the distance between glass plates or panels and avoid undesirable scratches and marks during all kind of transport.

■ Glass Pad simply stick with their own suction power and leave no traces or marks

Product features:


- XLPE foam with a self-adhesive foam layer
- Supplied as pieces
- Available in different dimensions and thicknesses

Applications:

■ Distance holders to protect high-polished and sensitive surfaces

NOMAPACK® Glass Pad







| COLOUR | Grey |
|-----------------|---|
| PACKAGING | Pieces in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Keep the distance between glass plates or panels and avoid undesirable scratches and marks during transport. |
| MATERIAL | XLPE foam with a self-adhesive foam layer |




| Туре | А | В | С | Packaging unit | Item Code |
|------------|-------|-------|-------|-------------------|-----------|
| | mm | mm | mm | pces | |
| 45x45x8+2 | 45 ±1 | 8 ±1 | 45 ±1 | 2.500 | 3012433 |
| 45×45×10+2 | 45 ±1 | 10 ±1 | 45 ±1 | 2.500 | 3012435 |
| 45x45x12+2 | 45 ±1 | 12 ±1 | 45 ±1 | 2.500 | 3012436 |

The following NOMAPACK Glass Pads are only available with a minimum order quantity of 50.000 pieces.



| $m^3/$ = 0,08 |
|------------------|
| € 610*370*370 mm |



| Туре | А | В | С | Packaging unit | Item Code |
|------------|-------|-------|-------|-------------------|-----------|
| | mm | mm | mm | pces | |
| 20x20x8+2 | 20 ±1 | 8 ±1 | 20 ±1 | 2.500 | 3002335 |
| | | | | | |
| 20x20x10+2 | 20 ±1 | 10 ±1 | 20 ±1 | 2.500 | 3009231 |
| | | | | | 3009232 |
| | | | | | |
| | | | | | 3003720 |
| 45x25x10+2 | 25 ±1 | 10 ±1 | 45 ±1 | 2.500 | 3002337 |

The pads are packed in bulk in cardboard boxes / two pads glued to each other.

Other sizes and colors are available on request with a minimum order quantity and a corresponding delivery period.

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® O







 $\mathsf{NOMAPACK}^{\otimes}$ O profiles offer a complete range of round profiles in various diameters and thicknesses, which suits perfectly to round goods or elongated objects.

- Adaptable to every curve
- Special, total protection for delicate and easily-scratched goods


Product features:

- PE-LD foam
- \blacksquare Density from 20 kg/m³ to 35 kg/m³
- Supplied as lengths
- Water absorption < 1 vol.% after 40 days
- Recyclable

- Pieces of furniture
- Bicycles
- Fitness equipment

NOMAPACK® O 5 mm UNSLIT








| COLOUR | Grey |
|-----------------|---|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 8 |
| FEATURES | ■ Other dimensions available on request |

| Туре | А | В | Packaging unit | Item Code |
|------|-------|------|----------------|-----------|
| | mm | mm | m | |
| 15-5 | 16 +3 | 5 ±1 | 240 | 3008220 |
| 18-5 | 19 +3 | 5 ±1 | 200 | 3001035 |
| 22-5 | 23 +3 | 5 ±1 | 160 | 3001036 |
| 28-5 | 29 +3 | 5 ±1 | 120 | 3001037 |
| 35-5 | 36 +3 | 5 ±1 | 80 | 3001038 |



NOMAPACK® O 9 mm SLIT







| COLOUR | Grey |
|-----------------|---|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Delivered as slit profiles Can be immediately clipped upon the object to protect |

| Туре | А | В | Packaging unit | Item Code |
|------|-------|--------|----------------|-----------|
| | mm | mm | m | |
| | | | | |
| 15-9 | 16 +3 | 9 ±1,5 | 380 | 3002517 |
| 18-9 | 19 +3 | 9 ±1,5 | 330 | 3002321 |
| | | - | | |
| 22-9 | 23 +3 | 9 ±1,5 | 250 | 3002322 |
| 28-9 | 29 +3 | 9 ±1,5 | 190 | 3002324 |
| 35-9 | 36 +3 | 9 ±1,5 | 150 | 3002516 |
| 42-9 | 42 +4 | 9 ±1,5 | 110 | 3002419 |




m³/ =0,50

NOMAPACK® O

NOMAPACK® O PRESLIT







| COLOUR | Grey |
|-----------------|--|
| LENGTH | 2.000 mm ±30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Delivered as pre-slit profilesOther dimensions available on request |

NOMAPACK® O 9 mm

| Туре | А | В | Packaging unit | Item Code |
|------|-------|--------|----------------|-----------|
| | mm | mm | m | |
| 15-9 | 16 +3 | 9 ±1,5 | 380 | 3001141 |
| 18-9 | 19 +3 | 9 ±1,5 | 330 | 3001142 |
| 22-9 | 23 +3 | 9 ±1,5 | 250 | 3001143 |
| 28-9 | 29 +3 | 9 ±1,5 | 190 | 3001144 |
| 35-9 | 36 +3 | 9 ±1,5 | 150 | 3001145 |
| 42-9 | 44 +4 | 9 ±1,5 | 110 | 3001146 |
| 48-9 | 50 +4 | 9 ±1,5 | 90 | 3008281 |
| 54-9 | 56 +4 | 9 ±1,5 | 70 | 3008282 |
| 60-9 | 62 +4 | 9 ±1,5 | 66 | 3008283 |
| 76-9 | 78 +4 | 9 ±1,5 | 48 | 3001050 |
| 89-9 | 91 +4 | 9 ±1,5 | 40 | 3001051 |



m³/ = 0,50 = 2040*590*390 mm

NOMAPACK® O 13 mm

| Туре | А | В | Packaging unit | Item Code |
|--------|--------|-------|----------------|-----------|
| | mm | mm | m | |
| 15-13 | 16 +3 | 13 ±2 | 256 | 3001148 |
| 18-13 | 19 +3 | 13 ±2 | 220 | 3001149 |
| 22-13 | 23 +3 | 13 ±2 | 180 | 3008439 |
| | | | | |
| 28-13 | 29 +3 | 13 ±2 | 140 | 3001150 |
| 35-13 | 36 +3 | 13 ±2 | 120 | 3001151 |
| 42-13 | 44 +4 | 13 ±2 | 90 | 3001152 |
| 48-13 | 50 +4 | 13 ±2 | 70 | 3001085 |
| 54-13 | 56 +4 | 13 ±2 | 66 | 3008291 |
| 60-13 | 62 +4 | 13 ±2 | 48 | 3001086 |
| 76-13 | 78 +4 | 13 ±2 | 40 | 3001062 |
| 89-13 | 91 +4 | 13 ±2 | 30 | 3001063 |
| 102-13 | 105 +5 | 13 ±2 | 24 | 3001064 |
| 114-13 | 117 +5 | 13 ±2 | 22 | 3001065 |



 $m^3/$ = 0,50 = 2040*590*390 mm

NOMAPACK® O 20 mm

| Туре | А | В | Packaging unit | Item Code |
|--------|--------|---------|----------------|-----------|
| | mm | mm | m | |
| 15-20 | 16 +3 | 20 ±2,5 | 134 | 3001067 |
| 18-20 | 19 +3 | 20 ±2,5 | 126 | 3001068 |
| 22-20 | 23 +3 | 20 ±2,5 | 108 | 3008294 |
| 28-20 | 29+3 | 20 ±2,5 | 96 | 3008295 |
| 35-20 | 36+3 | 20 ±2,5 | 70 | 3001071 |
| 42-20 | 44 +4 | 20 ±2,5 | 60 | 3001072 |
| 48-20 | 50 +4 | 20 ±2,5 | 48 | 3001073 |
| 54-20 | 56 +4 | 20 ±2,5 | 48 | 3001074 |
| 60-20 | 62 +4 | 20 ±2,5 | 40 | 3001075 |
| 76-20 | 78 +4 | 20 ±2,5 | 26 | 3001076 |
| 89-20 | 91 +4 | 20 ±2,5 | 24 | 3001077 |
| 102-20 | 105+5 | 20 ±2,5 | 20 | 3001078 |
| 114-20 | 117 +5 | 20 ±2,5 | 14 | 3001079 |



NOMAPACK® O 25 mm


| Туре | А | В | Packaging unit | Item Code |
|--------|--------|---------|----------------|-----------|
| | mm | mm | m | |
| 15-25 | 16 +3 | 25 ±2,5 | 90 | 3008298 |
| 18-25 | 19 +3 | 25 ±2,5 | 90 | 3008299 |
| 22-25 | 23 +3 | 25 ±2,5 | 70 | 3001087 |
| 28-25 | 29 +3 | 25 ±2,5 | 66 | 3008300 |
| 35-25 | 36 +3 | 25 ±2,5 | 56 | 3008301 |
| 42-25 | 44 +4 | 25 ±2,5 | 48 | 3008302 |
| 48-25 | 50 +4 | 25 ±2,5 | 40 | 3008303 |
| 60-25 | 62 +4 | 25 ±2,5 | 30 | 3001084 |
| 76-25 | 78 +4 | 25 ±2,5 | 24 | 3004271 |
| 89-25 | 91 +4 | 25 ±2,5 | 16 | 3008230 |
| 114-25 | 117 +5 | 25 ±2,5 | 12 | 3008231 |



NOMAPACK® O

NOMAPACK® O Round







| COLOUR | White |
|-----------------|--|
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 2 for R75 mm & R100 mm 4 for R150 mm |
| FEATURES | Cushioning protection for storage and transport Suitable for filling static and dynamic joints with varying degrees of expansions |



m³/ = 1,10 = 2290*780*590 mm

| Туре | А | Packaging unit | Item Code |
|-----------------|--------|----------------|-----------|
| | mm | m | |
| R 75 mm/2,2 m* | 75 ±3 | 171,6 | 3004076 |
| R 100 mm/2,2 m* | 100 ±4 | 92,4 | 3004077 |

 $^{*2.200 \}pm 50 \, mm$



m³/ = 0,50 = 2050*600*400 mm


| Туре | А | Packaging unit | Item Code |
|-----------------|--------|----------------|-----------|
| | mm | m | |
| R 150 mm/1,85 m | 153 ±4 | 14,8 | 3012186 |

 $^{*1.850 \}pm 50 \, mm$

NOMAPACK® Round R 150 mm in 2,75 m length (Item Code 3003708) is only available with a minimum order quantity of 5.500 m.

NOMAPACK® O Round Cut Corner





| COLOUR | White |
|-----------------|--|
| PACKAGING | Pieces in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Special protection for corners Cushioning protection for storage and transport Easy to fix |


| Туре | А | В | Packaging unit | Item Code |
|--------|--------|----|----------------|-----------|
| | mm | mm | pces | |
| 100-10 | 100 ±3 | 10 | 1.900 | 3002519 |
| 100-15 | 100 ±3 | 15 | 1.500 | 3002518 |
| 100-20 | 100 ±3 | 20 | 1.100 | 3003593 |
| 75-10 | 75 ±3 | 10 | 3.900 | 3003592 |
| 75-15 | 75 ±3 | 15 | 2.750 | 3002520 |
| 75-20 | 75 ±3 | 20 | 2.000 | 3002160 |



NOMAPACK® SYSTEM







NOMAPACK® System, the efficient transport protection for sensitive goods. NOMAPACK® System provides an ideal protection against shocks and vibrations thanks to its directly extruded, specially designed L-shape with integrated holes. It can be easily transformed to obtain a packaging frame.

- Outstanding protection against shocks and vibrations
- Tailor-made, adaptable and customer-oriented solutions


Product features:

- PE-LD foam
- \blacksquare Density from 24 kg/m 3 to 34 kg/m 3
- Supplied as lengths
- Water absorption < 1 vol.% after 40 days
- Recyclable


- High-tech products
- Medical items

NOMAPACK® System






| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | 2.030 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | For light goods Specially suitable for sensitive surfaces Easy to transform |






 $m^3/$ =0,50 =0,50 m^3 2040*590*390 mm

NOMAPACK® System HD





| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | 2.030mm ± 30mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | For heavy goods Specially suitable for sensitive surfaces Easy to transform |

| Туре | А | В | С | D | Е | Packaging unit | Item Code |
|-------|-------|--------|--------|-------|--------|----------------|-----------|
| | mm | mm | mm | mm | mm | m | |
| 20 mm | 20 ±1 | 52 ±2 | 52 ±2 | 21 ±1 | 90° ±3 | 224 | 3002184 |
| 30 mm | 30 ±1 | 63 ±2 | 63 ±2 | 30 ±1 | 90° ±3 | 140 | 3002186 |
| 40 mm | 40 ±2 | 80 ±3 | 80 ±3 | 40 ±2 | 93° ±3 | 84 | 3002188 |
| 50 mm | 50 ±2 | 97 ±3 | 97 ±3 | 50 ±1 | 93° ±3 | 56 | 3002192 |
| 60 mm | 60 +2 | 106 +3 | 106 +3 | 60 +2 | 93° +3 | 42 | 3002194 |



 $m^3/$ =0,50

2040*590*390 mm

NOMATEC® TUFF PAD







NOMATEC® Tuff Pad are coextruded round foams with a reinforced outer skin which offers various applications. Ideal to protect our kids while playing and climbing on playgrounds, trampolines or other game areas. NOMATEC® Tuff Pad are always there to prevent injuries and crushes. They cover the complete metallic structure and provide a long term protection.


Product features:

- PE-LD foam / Outer skin PE-LD
- Supplied as lengths
- Water absorption < 1 vol.% after 40 days
- Recyclable
- Relatively UV resistant
- Conform with norm EN 71-3
- Pre-slit for easy use
- Other colours available on request
- Washable

- Playgrounds, kids playing areas and climbing frames
- Scaffolding
- Transport of animals bar coating
- Ski areas / ski lifts
- Diverse

NOMATEC® Tuff Pad







| LENGTH | 2.480 mm ± 40 mm |
|-----------------|---|
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Outer skin relatively UV resistantPre-slit profile for easy fixation |


| Туре | Colour | | А | В | Packaging unit | Item Code |
|-------|--------|-------------|-------|-------|-------------------|-----------|
| | | | mm | mm | m | |
| 52-17 | | orange | 52 ±1 | 17 ±1 | 66,96 | 3003082 |
| 52-17 | | yellow | 52 ±1 | 17 ±1 | 66,96 | 3003083 |
| 52-17 | | green | 52 ±1 | 17 ±1 | 66,96 | 3003085 |
| 52-17 | | light brown | 52 ±1 | 17 ±1 | 66,96 | 3003988 |
| 52-17 | | dark brown | 52 ±1 | 17 ±1 | 66,96 | 3003990 |
| 52-17 | | silver | 52 ±1 | 17 ±1 | 66,96 | 3003787 |
| 52-17 | | light green | 52 ±1 | 17 ±1 | 66,96 | 3003786 |
| 52-17 | | ice blue | 52 ±1 | 17 ±1 | 66,96 | 3003858 |
| 52-17 | | pink | 52 ±1 | 17 ±1 | 66,96 | 3003788 |
| 52-17 | | violet | 52 ±1 | 17 ±1 | 66,96 | 3003789 |
| 52-17 | | black | 52 ±1 | 17 ±1 | 66,96 | 3003086 |
| 52-17 | | blue | 52 ±1 | 17 ±1 | 66,96 | 3003932 |
| 52-17 | | red | 52 ±1 | 17 ±1 | 66,96 | 3003859 |



NOMAPACK® C







NOMAPACK® C protects corners and edges reliably.


NOMAPACK® C range has been specially designed to protect bath ceramics and offers customized solutions for many different applications.


Product features:

- PE-LD foam
- Supplied as lengths
- Water absorption < 1 vol.% after 40 days
- Recyclable

- Bath and sanitary areas
- Distance holder to protect high-polished and sensitive surfaces
- Total protection for long and narrow goods

NOMAPACK® C 25x10-10








| COLOUR | Standard blue |
|-----------------|--|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Total protection for long and narrow goodsFlexible in use |



| Туре | А | В | С | Packaging unit | Item Code |
|----------|-------|-------|-------|----------------|-----------|
| | mm | mm | mm | m | |
| 25×10-10 | 43 ±1 | 31 ±1 | 10 ±1 | 312 | 3002197 |

NOMAPACK® C Rectangular







| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | 2.000 mm ± 30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | Small distance holder with great effect Ideal to separate sensitive surfaces |




m³/ = 0,50 = 2040 * 590 * 390 mm

| Α | В | Packaging unit | Item Code |
|-------|-------|----------------|-------------------------|
| | | | |
| | | | |
| 50 ±3 | 50 ±3 | 154 | 3002202 |
| 98 ±2 | 50 ±2 | 80 | 3002195 |
| | 50 ±3 | 50 ±3 50 ±3 | mm mm m 50 ±3 50 ±3 154 |

NOMAPACK® C

NOMAPACK® C BTH







| COLOUR | Standard blue |
|-----------------|---|
| LENGTH | 2.000 mm ±30 mm |
| PACKAGING | Lengths in boxes |
| BOXES ON PALLET | 4 |
| FEATURES | ■ Total protection for fragile edges ■ Extreme clamping force ■ Easy to fix |



m³/ =0,50 = 2040 * 590 * 390 mm

| Туре | Α | D | Е | Packaging unit | Item Code |
|------|-------|-------|--------|----------------|-----------|
| | mm | mm | mm | | |
| BTH | 34 ±1 | 74 ±4 | 5,5 ±1 | 120 | 3002205 |